


### Summary of Lost Time Injuries by Type of Injury

	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Overexertion	2,829	2,912	2,582	2,527	2,419	2,524	2,573	2,806	2,738	2,562
Fall	1,527	1,669	1,864	1,527	1,505	1,511	1,633	1,853	2,063	2,127
Struck by or against	1,569	1,515	1,416	1,409	1,387	1,430	1,561	1,794	1,749	1,737
Bodily reaction	612	562	552	566	516	417	585	500	494	632
Caught in, under, between	471	514	600	531	536	557	559	526	502	437
Motor vehicle accident	189	216	235	212	232	246	280	286	291	336
Contact with temperature extremes	58	80	111	106	119	114	194	204	202	178
Contact with caustics	72	104	61	82	58	56	93	106	94	107
Other	496	589	536	528	523	555	500	565	590	626
No statistics on file	1,666	744	785	748	966	1,075	630	616	405	157
Total	9,489	8,905	8,742	8,236	8,261	8,485	8,608	9,256	9,128	8,899

	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Overexertion	29.81%	32.70%	29.54%	30.68%	29.28%	29.75%	29.89%	30.32%	30.00%	28.79%
Fall	16.09%	18.74%	21.32%	18.54%	18.22%	17.81%	18.97%	20.02%	22.60%	23.90%
Struck by or against	16.53%	17.01%	16.20%	17.11%	16.79%	16.85%	18.13%	19.38%	19.16%	19.52%
Bodily reaction	6.45%	6.31%	6.31%	6.87%	6.25%	4.91%	6.80%	5.40%	5.41%	7.10%
Caught in, under, between	4.96%	5.77%	6.86%	6.45%	6.49%	6.56%	6.49%	5.68%	5.50%	4.91%
Motor vehicle accident	1.99%	2.43%	2.69%	2.57%	2.81%	2.90%	3.25%	3.09%	3.19%	3.78%
Contact with temperature extremes	0.61%	0.90%	1.27%	1.29%	1.44%	1.34%	2.25%	2.20%	2.21%	2.00%
Contact with caustics	0.76%	1.17%	0.70%	1.00%	0.70%	0.66%	1.08%	1.15%	1.03%	1.20%
Other	5.23%	6.61%	6.13%	6.41%	6.33%	6.54%	5.81%	6.10%	6.46%	7.03%
No statistics on file	17.56%	8.35%	8.98%	9.08%	11.69%	12.67%	7.32%	6.66%	4.44%	1.76%




Overexertion is the most frequently reported type of injury for lost time injuries. Approximately 30% of all lost time injuries are classified as overexertion. The second most frequently reported injury are falls. The percent of falling injuries have increased from 16% in 1992 to nearly 24% in 2001. Striking injuries are the third most frequent type of lost time injury. Over 19% of injuries in 2001 are classified as strike injuries.

### Summary of Medical Only Injuries by Type of Injury

	1998	1999	2000	2001		1998	1999	2000	2001
Struck by or against	7,977	7,609	7,520	7,022		30.80%	30.38%	29.89%	30.32%
Fall	3,548	3,697	4,189	3,978		13.70%	14.76%	16.65%	17.17%
Overexertion	4,469	4,540	4,700	3,936		17.25%	18.13%	18.68%	16.99%
Bodily reaction	1,050	988	773	1,294		4.05%	3.95%	3.07%	5.59%
Caught in, under, between	1,667	1,550	1,562	1,250		6.44%	6.19%	6.21%	5.40%
Particle in eye	1,090	1,109	1,148	1,070		4.21%	4.43%	4.56%	4.62%
Other	4,481	4,242	4,435	4,165		17.30%	16.94%	17.63%	17.98%
No statistics on file	1,621	1,307	830	447		6.26%	5.22%	3.30%	1.93%
Total	25,903	25,042	25,157	23,162		100.00%	100.00%	100.00%	100.00%

Type of Medical Only Injuries



The most frequently occurring type of medical only injury are strike injuries, where the injured worker is struck by an object or strikes a body part against an object. Approximately 30% of medical only injuries are strike injuries. On average, overexertion is the next most frequent type of injury at between 17% and 18.7%. Falls are the next most frequently classified medical only injury. Falls have increased from 13.7% in 1998 to 17.2% in 2001.

# Lost Time Injuries by Type of Injury

	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Struck against	494	513	487	440	437	388	522	491	517	531
Struck by	938	863	807	848	846	904	898	1,124	998	1,030
Struck, not specified	137	139	122	121	104	138	141	179	234	176
Assault	55	58	23	28	6	21	52	51	40	51
Fall	1,527	1,669	1,864	1,527	1,505	1,511	1,633	1,853	2,063	2,127
Caught in, under, between	471	514	600	531	536	557	559	526	502	437
Rubbed or abraded	72	85	61	59	111	105	85	77	105	86
Particle in eye	24	25	21	17	16	9	37	38	43	56
Repetitive motion	31	7	3	0	0	1	1	0	0	0
Bodily reaction	612	562	552	566	516	417	585	500	494	632
Overexertion	2,829	2,912	2,582	2,527	2,419	2,524	2,573	2,806	2,738	2,562
Contact with electric current	6	7	6	4	2	7	6	15	18	19
Contact with temperature extremes	58	80	111	106	119	114	194	204	202	178
Welder's flash	0	1	1	1	0	2	2	0	3	3
Contact with caustics	72	104	61	82	58	56	93	106	94	107
Animal, insect bite or sting	7	7	13	16	18	12	32	26	17	29
Transportation accident, not MV	2	1	7	2	1	0	0	3	0	3
Motor vehicle accident	189	216	235	212	232	246	280	286	291	336
Exposure to noise	1	1	2	1	0	1	2	1	2	5
Explosion	7	9	1	1	0	1	2	8	9	8
Non-highway MV accident	10	4	0	2	3	17	6	1	6	3
Exposed to germs	7	11	11	13	13	18	17	16	22	21
Other, not reported	274	373	387	384	353	361	258	329	325	342
No statistics on file	1,666	744	785	748	966	1,075	630	616	405	157
Total	9,489	8,905	8,742	8,236	8,261	8,485	8,608	9,256	9,128	8,899

# Lost Time Injuries by Type of Injury

	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Overexertion	29.81%	32.70%	29.54%	30.68%	29.28%	29.75%	29.89%	30.32%	30.00%	28.79%
Fall	16.09%	18.74%	21.32%	18.54%	18.22%	17.81%	18.97%	20.02%	22.60%	23.90%
Struck by	9.89%	9.69%	9.23%	10.30%	10.24%	10.65%	10.43%	12.14%	10.93%	11.57%
Bodily reaction	6.45%	6.31%	6.31%	6.87%	6.25%	4.91%	6.80%	5.40%	5.41%	7.10%
Struck against	5.21%	5.76%	5.57%	5.34%	5.29%	4.57%	6.06%	5.30%	5.66%	5.97%
Caught in, under, between	4.96%	5.77%	6.86%	6.45%	6.49%	6.56%	6.49%	5.68%	5.50%	4.91%
Other, not reported	2.89%	4.19%	4.43%	4.66%	4.27%	4.25%	3.00%	3.55%	3.56%	3.84%
Motor vehicle accident	1.99%	2.43%	2.69%	2.57%	2.81%	2.90%	3.25%	3.09%	3.19%	3.78%
Contact with temperature extremes	0.61%	0.90%	1.27%	1.29%	1.44%	1.34%	2.25%	2.20%	2.21%	2.00%
Struck, not specified	1.44%	1.56%	1.40%	1.47%	1.26%	1.63%	1.64%	1.93%	2.56%	1.98%
No statistics on file	17.56%	8.35%	8.98%	9.08%	11.69%	12.67%	7.32%	6.66%	4.44%	1.76%
Contact with caustics	0.76%	1.17%	0.70%	1.00%	0.70%	0.66%	1.08%	1.15%	1.03%	1.20%
Rubbed or abraded	0.76%	0.95%	0.70%	0.72%	1.34%	1.24%	0.99%	0.83%	1.15%	0.97%
Particle in eye	0.25%	0.28%	0.24%	0.21%	0.19%	0.11%	0.43%	0.41%	0.47%	0.63%
Assault	0.58%	0.65%	0.26%	0.34%	0.07%	0.25%	0.60%	0.55%	0.44%	0.57%
Animal, insect bite or sting	0.07%	0.08%	0.15%	0.19%	0.22%	0.14%	0.37%	0.28%	0.19%	0.33%
Exposed to germs	0.07%	0.12%	0.13%	0.16%	0.16%	0.21%	0.20%	0.17%	0.24%	0.24%
Contact with electric current	0.06%	0.08%	0.07%	0.05%	0.02%	0.08%	0.07%	0.16%	0.20%	0.21%
Explosion	0.07%	0.10%	0.01%	0.01%	0.00%	0.01%	0.02%	0.09%	0.10%	0.09%
Exposure to noise	0.01%	0.01%	0.02%	0.01%	0.00%	0.01%	0.02%	0.01%	0.02%	0.06%
Welder's flash	0.00%	0.01%	0.01%	0.01%	0.00%	0.02%	0.02%	0.00%	0.03%	0.03%
Transportation accident, not MV	0.02%	0.01%	0.08%	0.02%	0.01%	0.00%	0.00%	0.03%	0.00%	0.03%
Non-highway MV accident	0.11%	0.04%	0.00%	0.02%	0.04%	0.20%	0.07%	0.01%	0.07%	0.03%
Repetitive motion	0.33%	0.08%	0.03%	0.00%	0.00%	0.01%	0.01%	0.00%	0.00%	0.00%
Total	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%